**Scented Supplies**
41W195 Railroad St · Unit D
Pingree Grove, IL 60140 · United States of America
224-530-3021 · www.scentedsupplies.com

# Safety Data Sheet

In accordance with US 29 CFR 1910.1200 (HazCom 2012)

| | |
|---|---|
| Product name | **Cranberry Woods** |
| Product code | **FRAG-00123** |
| Version | **10.0** |
| Revision date | **23 NOV 2026** |
| Identified uses | **Perfume compound** |
| Intended use | **Fragrances** |

## Section 1 — Product And Company Identification

### Supplier

Scented Supplies
41W195 Railroad St
Unit D
Pingree Grove, IL 60140
United States of America
224-530-3021 · www.scentedsupplies.com

### Emergency telephone

224-530-3021

## Section 2 — Hazards Identification



### Classification (OSHA HCS)

| Hazard class | Category |
|---|---|
| Flammable liquids | Category 4 |
| Skin irritation | Category 2 |
| Skin sensitisation | Category 1 |
| Reproductive toxicity | Category 2 |

**Signal word:** Warning

### Hazard statements

H227 Combustible liquid.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H361 Suspected of damaging fertility or the unborn child.

**Precautionary statements**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261 Avoid breathing mist or vapours.

P264 Wash skin thoroughly after handling.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

P280 Wear protective gloves, protective clothing, eye protection and face protection.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

P403 Store in a well-ventilated place.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

Hazards Not Otherwise Classified: None

Please note:Mixtures have not been tested for health hazards. The health hazard information presented is provided in accordance with US 29 CFR 1910.1200 and is based on the testing of individual components which have been shown to cause or may cause these health effects when tested at higher concentrations or at full strength.

Ingredients with unknown acute toxicity: 0 %

## Section 3 — Composition/information On Ingredients

**Hazardous components**

| Component | CAS-No. | Concentration [%] |
|---|---|---|
| Benzoic acid, phenyl methyl ester | 120-51-4 | 10.00 - 30.00 |
| 1,7,7-Trimethylbicyclo[2.2.1]hept-2-yl acetate | 125-12-2 | 7.00 - 13.00 |
| (R)-1-methyl-4-(1-methylethenyl)-cyclohexene | 5989-27-5 | 5.00 - 10.00 |
| 3-methoxy-4-hydroxy-benzaldehyde (= Vanillin) | 121-33-5 | 3.00 - 7.00 |
| 2H-1-benzopyran-2-one (=coumarin) | 91-64-5 | 3.00 - 7.00 |
| ethyl 2,3-epoxy-3-phenylbutyrate | 77-83-8 | 1.00 - 5.00 |
| 3-hydroxy-2-ethyl-4H-pyran-4-one (=ethyl maltol) 1-(2,6,6-Trimethylcyclohex-2-en-1-yl)pent-1-en- 1335-46-2 1.00 - 5.00 3-one | 4940-11-8 | 1.00 - 5.00 |
| 4-methoxybenzyl acetate | 104-21-2 | 1.00 - 5.00 |
| 3-phenyl-2-propenal (= Cinnamic aldehyde) | 104-55-2 | 1.00 - 5.00 |
| 3,7-Dimethyl-2,6-Octadienal (Cis & Trans Isomers) (= Citral) | 5392-40-5 | 0.10 - 1.00 |
| Benzaldehyde | 100-52-7 | 0.10 - 1.00 |
| 3,7,7-trimethylbicyclo[4.1.0]hept-3-ene | 13466-78-9 | 0.10 - 1.00 |

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

## Section 4 — First Aid Measures

### First aid measures

### Description of first aid measures

| | |
|---|---|
| **General advice** | Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Consult physician or Poison Control Center. The National Hotline for US Poison Control Centers is 1.800.222.1222; https://www.poison.org |
| **If inhaled** | If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician. |
| **In case of skin contact** | Immediately seek medical attention if chemical entered ear canal. If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes. |
| **In case of eye contact** | Protect unharmed eye. Remove contact lenses. Flush eyes with water as a precaution. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. |
| **If swallowed Most important symptoms** | Immediately consult Poison Control Center or physician. Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. and effects, both acute and delayed |

Causes skin irritation. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child.

### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## Section 5 — Firefighting Measures

### Extinguishing media

| | |
|---|---|
| **Suitable extinguishing media** | Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. |
| **Unsuitable extinguishing media Special hazards arising** | High volume water jet from the substance or mixture |
| **Specific hazards during firefighting** | Exposure to decomposition products may be a hazard to health. Cool closed containers exposed to fire with water spray. Do not use a solid water stream as it may scatter and spread fire. Do not allow run-off from fire fighting to enter drains or water courses. |

### Advice for firefighters

| | |
|---|---|
| **Special protective equipment for firefighters** | Wear self-contained breathing apparatus for firefighting if necessary. |
| **Further information** | In the event of fire and/or explosion do not breathe fumes. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers. |

## Section 6 — Accidental Release Measures

**Personal precautions, protective equipment and emergency procedures**

Keep people away from and upwind of spill/leak. In the case of vapour formation use a respirator with an approved filter. For emergency conditions, use an approved positive-pressure self-contained breathing apparatus. Material can create slippery conditions. Use personal protective equipment.

**Environmental precautions**

Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.

**Methods and materials for containment and cleaning up**

Clean contaminated floors and objects thoroughly while observing environmental regulations. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

## Section 7 — Handling And Storage

**Precautions for safe handling**

| | |
|---|---|
| **Advice on safe handling** | Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Avoid formation of aerosol. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. |
| **Advice on protection against fire and explosion Conditions for safe storage,** | Do not spray on a naked flame or any incandescent material. Keep away from open flames, hot surfaces and sources of ignition. including any incompatibilities |
| **Requirements for storage areas and containers** | No smoking. Keep in a well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards. |
| **Further information on storage conditions** | Ambient / 10-30°C (50-85°F) Dry, well ventilated, preferably full, hermetically sealed |
| **Advice on common storage** | Protect against light. |
| **Other data** | No decomposition if stored and applied as directed. |

## Section 8 — Exposure Controls/personal Protection

**Exposure Guidelines**

| | |
|---|---|
| **Components CAS-No. (R)-1-methyl-4-(1- methylethenyl)-cyclohexene 3-methoxy-4-hydroxy- benzaldehyde (= Vanillin) 3,7-Dimethyl-2,6-Octadienal (Cis & Trans Isomers) (= Citral) Benzaldehyde Benzaldehyde 3,7,7-trimethylbicyclo[4.1.0 ]hept-3-ene** | Type: Value : Basis : Revision: 5989-27-5 TWA 30 ppm US WEEL 2 016-08-17 121-33-5 TWA 10 mg/m3 US WEEL 2 009-01-01 5392-40-5 TWA 5 ppm ACGIH 2 014-03-01 DSEN: Dermal Sensitization Skin: Danger of cutaneous absorption 100-52-7 TWA 2 ppm US WEEL 2 008-01-01 DSEN: Dermal Sensitization Notation 100-52-7 STEL 4 ppm US WEEL 2 008-01-01 DSEN: Dermal Sensitization Notation 13466-78-9 TWA 2 0 ppm ACGIH 2 014-03-01 DSEN: Dermal Sensitization |

### Exposure controls

Exposure assessment: Exposures are dependent on the product being handled, the potential for chemical release, and any resulting airborne concentrations or dermal contact. Since product handling and release scenarios vary, and no two workplaces are exactly alike, it is recommended that the potential for exposure be assessed prior to the prod-uct’s use or introduction. Exposure assessments should be performed by an occupational hygienist, industrial hygienist, or other qualified occupational or environmental health professional. An exposure assessment should be conducted to determine the efficacy of any ventilation and the need for additional PPE. The PPE indicated below are recommendations for worst-case scenario exposures. An exposure assessment will identify more applicable measures to be implemented. EN and ANSI standards are mentioned in the following recommendations, consult equivalent local standards when required. PPE is always the last resort to avoid exposure. In any case technical and organisational measures have to be explored and used prior to the selection of PPE. The PPE selection is for operators trained to work with chemicals according to good industrial hygiene and safety practice. Operators have to be trained on the use of PPE.

### Engineering measures

Use engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use the product only with adequate ventilation.

### Personal protective equipment

| | |
|---|---|
| **Eye/face protection** | Use safety goggles tested according to EN 166/ ANSI Z87.1 or equivalent local standard. |
| **Hand protection** | Use gloves when handling substance in open systems. Inspect gloves prior to use. Train operators for proper use.If only incidental exposure is expected: (work without direct contact to substance) use gloves tested according EN 16523- 1/ASTM F739 or equivalent local standard breakthrough times at least 10 minutes, tested for chemicals indicated in chapter 3 of this SDS. Change gloves frequently. If direct skin contact is expected: use gloves tested according to EN 16523-1/ASTM F739 or equivalent local standard, tested for chemicals indicated in chapter 3 of this SDS. Permeation time must exceed contact time. |
| **Other skin protection** | Wear working clothes covering arms and legs. The type of protective equipment must be selected according to the concentration and amount of the hazardous substance at the specific workplace. Use apron and sleeve covers or complete chemical suit if exposure is expected. |
| **Respiratory protection** | Respiratory protection should be worn when workplace exposures exceed exposure limit requirements or guidelines. If there are no applicable exposure limits or guidelines, use an approved respirator where there is a potential for adverse effects, including but not limited to respiratory irritation or odor, or where indicated by the exposure assessment. Selection of air-purifying or positive-pressure supplied-air will depend on the results of the exposure assessment which includes an evaluation of the specific operations and the potential airborne concentrations. For emergency conditions, use an approved positive-pressure self-contained breathing apparatus. In case a risk analysis proved the cartridge respirator as acceptable, use type: ABEK-P3 (EN 14387) OR Combination Multi-gas/P100 (42CFR84.193; ANSI Z88.7 or equivalent local standard) as a backup to engineering controls. In absence of engineering controls, use self-contained breathing apparatus or full face supplied air respirators. Use respirators and components tested and approved under appropriate government standards such as CEN (EU) or NIOSH 42 CFR 84(US). |
| **Thermal hazards** | Wear appropriate thermal protective clothing, when necessary. |
| **Hygiene measures Environmental exposure** | Remove contaminated clothing and protective equipment before entering eating areas. Do not eat, drink or smoke during work. Wash hands any time after handling the product. controls |

| | |
|---|---|
| **General advice** | Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities. |

## Section 9 — Physical And Chemical Properties

| | |
|---|---|
| **Physical state** | liquid |
| **Form** | liquid |
| **Color** | Very slightly yellow to Pale yellow |
| **Taste** | not determined |
| **Odor** | fruity, aromatic |
| **Odour Threshold** | Not applicable |
| **Flash point** | 187 °F (86 °C) Method: Grabner miniflash closed cup |
| **Lower explosion limit** | not determined |
| **Upper explosion limit** | not determined |
| **Flammability** | Not applicable |
| **Particle size** | no data available |
| **Particle Size Distribution** | no data available |
| **Auto-ignition temperature** | not determined |
| **Decomposition temperature** | no data available |
| **pH** | not determined |
| **Melting point** | not determined |
| **Boiling point** | not determined |
| **Vapor pressure** | 0.0763 hPa at 68 °F (20 °C) Calculated (100.0 %) |
| **Density** | 992.21 kg/m3 at 68 °F (20 °C) |
| **Bulk density** | Not applicable |
| **Solubility/qualitative** | practically insoluble |
| **Partition coefficient: n- octanol/ water** | Not applicable |
| **Viscosity, kinematic** | no data available |
| **Relative vapour density** | no data available |
| **Evaporation rate** | no data available |

## Section 10 — Stability And Reactivity

**Reactivity**

No decomposition if stored and applied as directed.

**Chemical stability**

No decomposition if stored and applied as directed.

### Possibility of hazardous reactions

| | |
|---|---|
| **Hazardous reactions** | No decomposition if stored and applied as directed.Vapours may form explosive mixture with air. |

### Conditions to avoid

| | |
|---|---|
| **Conditions to avoid** | Extremes of temperature and direct sunlight.Heat, flames and sparks. |

### Incompatible materials

| | |
|---|---|
| **Materials to avoid Hazardous decomposition** | Not applicable products |
| **Hazardous decomposition products** | no data available |
| **Thermal decomposition** | no data available |

## Section 11 — Toxicological Information

### Information on toxicological effects

### Acute oral toxicity

| | |
|---|---|
| **ATE** | 3,719 mg/kg |
| **Benzoic acid, phenyl methyl ester** | LD50: 2,000 mg/kg Species: Rat |
| **1,7,7- Trimethylbicyclo[2.2.1]hept-2-yl acetate** | LD50: 9,050 mg/kg Species: Rat |
| **(R)-1-methyl-4-(1- methylethenyl)-cyclohexene** | LD50: 5,600 mg/kg Species: Mouse |
| **3-methoxy-4-hydroxy-benzaldehyde (= Vanillin)** | LD50: 3,300 mg/kg Species: Rat |
| **2H-1-benzopyran-2-one (=coumarin)** | Acute toxicity estimate: 500 mg/kg Species: Rat |
| **ethyl 2,3-epoxy-3- phenylbutyrate** | LD50: > 5,000 mg/kg Species: Rat |
| **3-hydroxy-2-ethyl-4H-pyran- 4-one (=ethyl maltol)** | LD50: 1,150 mg/kg Species: Rat |
| **3-phenyl-2-propenal (= Cinnamic aldehyde)** | LD50: 2,220 mg/kg Species: Rat |
| **Benzaldehyde** | LD50: 1,300 mg/kg Species: Rat |
| **3,7,7-trimethylbicyclo[4.1.0]hept-3- ene** | LD50: 4,800 mg/kg Species: Rat |
| **Acute inhalation toxicity** | No data is available on the product itself. |

### Acute dermal toxicity

| | |
|---|---|
| **ATE** | > 5,000 mg/kg |
| **1,7,7- Trimethylbicyclo[2.2.1]hept-2-yl acetate** | LD50: 20,000 mg/kg Species: Rabbit |
| **(R)-1-methyl-4-(1- methylethenyl)-cyclohexene** | LD50: > 5,000 mg/kg Species: Rabbit |

| | |
|---|---|
| **3-methoxy-4-hydroxy-benzaldehyde (= Vanillin)** | LD50: 2,600 mg/kg Species: Rat |
| **ethyl 2,3-epoxy-3- phenylbutyrate** | LD50: > 5,000 mg/kg Species: Rabbit |
| **4-methoxybenzyl acetate** | LD50: > 5,000 mg/kg Species: Rabbit |
| **3-phenyl-2-propenal (= Cinnamic aldehyde)** | LD50: 1,260 mg/kg |
| **Acute toxicity (other routes of administration)** | No data is available on the product itself. |
| **Skin corrosion/irritation** | May cause skin irritation and/or dermatitis. |
| **Serious eye damage/eye irritation** | Vapours may cause irritation to the eyes, respiratory system and the skin. |
| **Respiratory or skin sensitisation** | Causes sensitisation. |
| **Mutagenicity** | No data is available on the product itself. |
| **Teratogenicity** | No data is available on the product itself. |

**Reproductive toxicity**

Suspected of damaging fertility or the unborn child.

**Carcinogenicity:**

| | |
|---|---|
| **IARC** | Remarks : No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. |
| **OSHA** | Remarks : No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens. |
| **NTP** | Remarks : No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. |

**Component:**

**2,6,6-trimethyl-Bicyclo[3.1.1]hept-2-ene (= alpha-pinene):**

Inhalation studies conducted by the U.S. National Toxicology Program (TR-606) concluded there was clear evidence of carcinogenic activity of α -pinene in rats and mice.

| | |
|---|---|
| **STOT - single exposure** | No data is available on the product itself. |
| **STOT - repeated exposure** | No data is available on the product itself. |
| **Aspiration hazard** | No data is available on the product itself. |
| **Further information Please note: Mixtures have presented is provided in accordance individual components which tested at higher concentrations** | no data available not been tested for health hazards. The health hazard information with US 29 CFR 1910.1200 and is based on the testing of have been shown to cause or may cause these health effects when or at full strength. |

## Section 12 — Ecological Information

Ecological information is not reported.

## Section 13 — Disposal Considerations

| | |
|---|---|
| **Product** | Dispose of in accordance with local, state and federal regulations. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company. |
| **Contaminated packaging Dispose of in accordance** | Do not expose containers to high temperatures such as in hot work processes. Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum. with local regulations. |

## Section 14 — Transport Information

### 14.1 UN number

| | |
|---|---|
| **49 CFR** | NA 1993 |
| **IMDG** | UN 3082 |
| **IATA 14.2 UN proper shipping** | UN 3082 name |
| **49 CFR** | Combustible liquid, n.o.s. : (Methyl isopropenyl cyclohexene, ) |
| **IMDG** | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. : (EXTRACTS, LIQUID) |
| **IATA** | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Extracts, liquid) |

### 14.3 Transport hazard class(es)

| | |
|---|---|
| **49 CFR** | Comb. liq. |
| **IMDG** | 9 |
| **IATA** | 9 |

### 14.4 Packing group

| | |
|---|---|
| **49 CFR** | III |
| **IMDG** | III |
| **IATA** | III |

### 14.5 Environmental hazards

**49 CFR**

| | |
|---|---|
| **Marine pollutant** | no |

**IMDG**

| | |
|---|---|
| **Marine pollutant** | yes |

**IATA (Passenger)**

| | |
|---|---|
| **Environmentally hazardous** | yes |

**IATA (Cargo)**

| | |
|---|---|
| **Environmentally hazardous 14.6 Special precautions** | yes for user |

**49 CFR**

| | |
|---|---|
| **Emergency Response Guidebook Number 49CFR: no dangerous 4 9CFR:Non-Bulk Packaging** | 128 good in non-bulk packaging (<119 Gallons for liquids and <882 Lbs. Solids). |
| **Remarks** | Above applies only to containers over 119 gallons or 450 liters. Not regulated if shipped in packages less than or equal to 119 gallons (450 liters). |

**IMDG**

| | |
|---|---|
| **IMDG Code Segregation Group 14.7 Transport in bulk according Not applicable for product** | None to IMO instruments as supplied. |

## Section 15 — Regulatory Information

Only relevant information is reported

**CERCLA Reportable Quantity**

Components CAS-No. Component RQ Calculated product RQ (lbs) (lbs) methanol 67-56-1 100 100 (F003)

**TSCA list**

No substances are subject to TSCA 12(b) export notification requirements.

| | |
|---|---|
| **SARA 311/312 Hazards.** | Flammable (gases, aerosols, liquids, or solids) Respiratory or skin sensitization Reproductive toxicity Skin corrosion or irritation |

## Section 16 — Other Information




**Further information**

Emergency contact numbers: see Section 1 of this Safety Data Sheet.

**Key or legend to abbreviations and acronyms used in the safety data sheet**

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent,

Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Information displayed in section 3 (Composition/information on ingredients) is additional information to understand the hazards of the product and ensure safe handling, storage and transportation. This information, including CAS numbers, is not meant to be used for registration, notification or any other purposes. Any additional information and documentation needed may be provided by Scented Supplies.

| | |
|---|---|
| **Version** | 10 0 |
| **Revision Date** | 23 NOV 2026 |
| **Print Date** | 23 NOV 2026 |

The information herein is provided in good faith and believed to be accurate as of the issue date. It relates only to the specific material identified and is not a warranty or quality specification. It is the recipient's responsibility to evaluate suitability for their end use. Any end-product marketing or regulatory claims are the recipient's sole responsibility.